

UCSF Health Interim COVID-19 Guidance for Adult ED, Inpatient OB Triage, Birth Center, and Hospitalized Patients

Guidelines are intended to assist with clinical decision-making for common situations but cannot replace personalized evaluation and management decisions based on individual patient factors

Isolation types:
-Droplet isolation: Surgical mask plus eye protection. "Droplet Isolation" sign placed on door
-Novel Respiratory Isolation: Contact + either N95 with eye protection or PAPR. "Novel Respiratory Isolation" sign placed on door

In the Emergency Departments because patients are undifferentiated, with many patients with suspected COVID-19 and a high frequency of aerosol-generating procedures, it is recommended that all direct care providers use the extended use protocol for N95 masks and eye protection during a shift


Adult ID services
 COVID ID/MB/IMZ Attending
 Via Careweb or 415-443-0190
Transplant ID
 Via Careweb or 415-443-2552
Jacobs ID Attending
 Via Careweb or 415-443-8996

Hospital Epidemiology and Infection Prevention (HEIP)
Moffitt-Long and Mission Bay:
Business Hours
 Adult IC Practitioner on-call VOALTE: (628)248-9059
After Hours
Moffitt-Long:
 ML Hospital Supervisor Spectralink 415-353-8036 or 415-353-1964
Mission Bay Adults:
 MB Adult Hospital Clinical Resource Nurse 415-502-0562

UCSF Health V.8
2.28.2021
UCSF COVID-19 Care Delivery Committee
Owners: Sarah Doernberg and Matt Aldrich

Asymptomatic and no COVID exposure workflow

Symptomatic/suspected/exposed COVID-19 workflow



***Aerosol-generating Procedure Guidance**
https://infectioncontrol.ucsfmedicalcenter.org/sites/g/files/tksra4681f/Guidance_for_PPE_use_for_High_Risk_Aerosol_Generating_Procedures.pdf
Surgical Procedure Guidance
https://infectioncontrol.ucsfmedicalcenter.org/sites/g/files/tksra4681f/Asymptomatic_COVID_PPE.pdf

***Aerosol-generating Procedure Guidance**
https://infectioncontrol.ucsfmedicalcenter.org/sites/g/files/tksra4681f/Guidance_for_PPE_use_for_High_Risk_Aerosol_Generating_Procedures.pdf

Sign available at:
<https://infectioncontrol.ucsfmedicalcenter.org/ucsf-health-covid-19-resources>

Isolation table
<https://infectioncontrol.ucsfmedicalcenter.org/isolat>

Recommended testing:
 Single swab for OP plus either NP or Mid-turbinate
Acceptable testing materials:
 1. Flocked swab Nasopharyngeal (NP) plus oropharyngeal (OP)
 2. Flocked swab Mid-Turbinate plus OP
 3. Synthetic Swab Mid-Turbinate plus OP
-All tests can be requested through the same Apex order for COVID-19 RNA
-RVP and COVID-19 RNA testing should be done on the same swab
-Order either RVP or rapid flu/RSV but not both

Refer to the Adult Existing Inpatient Asymptomatic Testing Algorithm for guidance on repeat testing of asymptomatic patients

Indications for repeat COVID-19 PCR:
 1. Patient develops new acute COVID-19 symptoms without clear alternative (Symptomatic workflow)
 2. Retest all inpatients on day 4 (Asymptomatic workflow)
 3. Inpatient receiving aerosol-generating procedure: test weekly (Asymptomatic workflow)
 4. Asymptomatic inpatients residing in shared rooms should be tested every Monday and Thursday (Asymptomatic workflow)

Clinician should don N95 and eye protection or PAPR in addition to gloves/gown while obtaining the MNT/NP +/- OP swab

Use clinical judgement to determine if patient's symptoms are suggestive of COVID-19

Additional testing may be indicated based on clinical presentation

*Do not re-test asymptomatic patients who have recovered from COVID-19 during the 90 days following the first positive test